

Safety Data Sheet

Issue Date 07-Dec-2017 Revision Date 07-Dec-2017 Revision Number 11

1. IDENTIFICATION

Product identifier

Product Code F044-0700

Product Name ACCELERATOR EPOXY

Other means of identification

Common Name SERIES 44-700

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use industrial paint.

Uses advised against Consumer use, For professional use only. Not for residential use.

Details of the supplier of the safety data sheet

Manufacturer Address Distributor

Tnemec Company, Inc. 6800 Corporate Drive, Kansas City, MO Tnemec Company, Inc. 86 Boul, des Entreprises, Ste. 203,

64120-1372 816-474-3400 Boisbriand, Quebec Canada J7G 2T3

Emergency telephone number

Company Phone Number Tnemec Regulatory Dept: 816-474-3400

24 Hour Emergency Phone Number 800-535-5053 (Infotrac)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Flammable Liquids	Category 4

Label elements

EMERGENCY OVERVIEW

Hazard statements Causes skin irritation Causes serious eye irritation Combustible liquid

Appearance amber Physical state liquid Odor amine

Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Response

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Storage

Keep away from children

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

Harmful to aquatic life with long lasting effects

SEE SAFETY DATA SHEET

Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
MODIFIED ALIPHATIC AMINE	90-72-2	60 - 100%

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists, consult a specialist.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation Remove to fresh air. Oxygen or artificial respiration if needed.

Ingestion If swallowed, do not induce vomiting. Get medical attention immediately.

Most important symptoms and effects, both acute and delayed

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

alcohol-resistant foam. Carbon dioxide. Dry powder. Dry chemical.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapours In the event of fire and/or explosion do not breathe fumes

Hazardous combustion products Hazardous combustion products may include: A complex mixture of airborne solid and

liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds. Carbon dioxide. Hydrocarbons. Ammonia. Nitric acid. Oxides of nitrogen.

Protective equipment and precautions for firefighters

Use water spray to cool unopened containers. In the event of fire, wear self-contained breathing apparatus. Keep away from heat/sparks/open flames/hot surfaces. MAY CAUSE HEAT AND PRESSURE BUILD-UP IN CLOSED CONTAINERS.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes, skin and clothing. Use personal protective equipment. Remove all

sources of ignition.

Environmental Precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not flush into surface water or

sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containmentRemove all sources of ignition. Spills may be collected with inert, absorbent material for

proper disposal. Use non-sparking tools, protective gloves, goggles and clothing, adequate ventilation, avoid the breathing of vapors and use respiratory protective devices. Transfer

absorbent material to suitable containers for proper disposal.

Methods for cleaning up If spilled, contain spilled material and remove with inert absorbent. Dispose of contaminated

absorbent, container and unused contents in accordance with local, state and federal

regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Close container after each use. Avoid contact with eyes, skin and clothing. Do not eat, drink

or smoke when using this product. If splashes are likely to occur, wear goggles. Wear protective gloves/clothing. Do not burn, or use a cutting torch on, the empty drum. When used in a mixture, read the labels and safety data sheets of all components. Wash

thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Prevent build-up of vapors by opening all windows and doors to achieve cross ventilation.

Incompatible products Incompatible with oxidizing agents. Acids. sodium hypochlorite. Metals. Peroxides.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

Appropriate engineering controls

Engineering measures Sufficient ventilation, in volume and pattern, should be provided through both local and

general exhaust to keep the air contaminant concentration below current applicable OSHA

Permissible Exposure Limits (PEL) and ACGIH"s Threshold Limit Values (TLV).

Appropriate ventilation should be employed to remove hazardous decomposition products formed during welding or flame cutting operations of surfaces coated with this product.

Individual protection measures, such as personal protective equipment

Safety glasses with side-shields If splashes are likely to occur, wear face-shield. Eye/face protection

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Use only with adequate ventilation. Do not breathe vapors, spray mist, or dust. Ensure fresh Respiratory protection

air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates vapor/mist or dust levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH/MSHA approved) during and

after application. Follow respirator manufacturer's directions for respirator use.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Avoid breathing dust created by cutting, sanding, or grinding.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liauid

Odor **Appearance** amber amine

Color No information available Odor threshold No information available

Property Values Remarks

No data available рH

Melting point / freezing point No data available

72 °C / 162 °F Boiling point / boiling range Flash point 93 °C / 200.0 °F Seta closed cup

Evaporation rate No data available

Flammability (solid, gas) No data available No information available Flammability Limit in Air No data available

Upper flammability limit N/A

Lower flammability limit N/A

Vapor pressure No data available Vapor density No data available

Specific gravity 0.97122 a/cm3

Water solubility Insoluble in cold water

Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available **Autoignition temperature** No data available **Decomposition temperature** No data available No data available No data available

Kinematic viscosity **Dynamic viscosity**

Other Information

8.09999 lbs/gal Density Volatile organic compounds (VOC) 0 lbs/gal

content

F044-0700 ACCELERATOR EPOXY

Total volatiles weight percent 0 % Total volatiles volume percent 0 %

Bulk density

No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Incompatible with oxidizing agents, Acids, sodium hypochlorite, Metals, Peroxides

Hazardous decomposition products

Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds. Ammonia. Carbon dioxide. Hydrocarbons. Nitric acid. Oxides of nitrogen.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation May cause central nervous system depression with nausea, headache, dizziness, vomiting,

and incoordination.

Eye contact Causes serious eye irritation.

Skin contact Irritating to skin.

Ingestion Harmful if swallowed.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
MODIFIED ALIPHATIC AMINE	= 1200 mg/kg (Rat)	= 1280 mg/kg (Rat)	-
90-72-2			

Information on toxicological effects

Symptoms Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,

cessation of breathing. Irritating to eyes and skin.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin. Eye damage/irritation Irritating to eyes.

Sensitization MutagenicityNo information available.
No information available.

Carcinogenicity There are no known carcinogenic chemicals in this product.

Reproductive effects
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available
No information available
No information available

Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

0 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

Not readily biodegradable.

Bioaccumulation

No information available.

Mobility in Environmental Media

Chemical name	log Pow
MODIFIED ALIPHATIC AMINE	0.219
90-72-2	

Other Adverse Effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal Methods Keep container tightly closed. If spilled, contain spilled material and remove with inert

absorbent. Dispose of contaminated absorbent, container and unused contents in

accordance with local, state and federal regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name 1719 - Caustic alkali liquid, n.o.s 2,4,6-tris((Dimethylamino)Methyl)Phenol

Hazard Class 8
Packing Group III
Emergency Response Guide 154

Number

Call TNEMEC Traffic Department - 816-474-3400 for additional information or other modes

of Transportation.

15. REGULATORY INFORMATION

International Inventories

Additional information

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies

AICS Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372

SARA 311/312 Hazardous

Categorization

Acute Health HazardYesChronic Health HazardYesFire HazardYesSudden Release of Pressure HazardNoReactive HazardNo

California Prop. 65

None of the ingredients are listed with California Proposition 65.

California SCAQMD Rule 443

Does Not Contain Photochemically Reactive Solvent

State Right-to-Know

16. OTHER INFORMATION

NFPA Health 3 Flammability 1 Instability 1 Physical hazard *

HMIS (Hazardous Health 3* Flammability 1 Reactivity 1

Material Information

System)

Prepared By Tnemec Regulatory Dept: 816-474-3400

Revision Date 07-Dec-2017

Revision Summary 9 4 5 8 7 10 11 14 15

Disclaimer

For specific information regarding occupational safety and health standards, please refer to the Code of Federal Regulations, Title 29, Part 1910.

To the best of our knowledge, the information contained herein is accurate. However, neither the Tnemec Company or any of its subsidiaries assume any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.

End of SDS